# VITRO X1







#### PINPOINT STYLE & COFFEE QUALITY

The Vitro X1 is an elegant and contemporary looking compact coffee machine that has been developed with attention to detail and with the best material finishes, providing it with a unique premium identity. Its design compliments any area in an office, hotel, leisure center or convenience store.

The Vitro X1 is also very easy to use and maintain which delivers consumers with a consistent high standard coffee experience. It offers velvety chocolates and the very best coffee preparation, from the bean to the cup. A full process of coffee grinding, tamping and brewing are made automatically in a matter of seconds – leaving the consumer with the most important job – enjoying a simply great coffee experience!.

The independent hot water serving area allows the consumer to prepare tea & delicate infusions at ease with clean fresh hot water.

#### **VITRO X1 Espresso**

Vitro X1 brings complete peace of mind in busy coffee service environments with a consumption of up to 150 cups per day.



#### Product Espresso Solubles Independent hot water spout Key features & options 4 ۴ Removable 2 cup holder Time Hopper Tray positions doser lock AZK V30 Espresso group Touch Distance selection selection

## Easy to refill coffee beans and soluble ingredients

The filling process can be done from the top, without opening the door, in a straight forward and simple way.



Inside coding system and a tube color guide to simplify maintenance work. Front removal of liquid waste tray, with no need to open the machine.

Effortless maintenance



## User friendly touchless selection

With up to 12 specialty coffee selections available, you can make your coffee selections using Touch or our new touchless patented Distance Selection technology - choose your favorite.





#### ADAPTABLE TO SUIT ANY LOCATION

Vitro X1 has been designed to suit different operational business models by offering a myriad of optional accessories, consumer payment options and functioning modes such as the AZK V30 variable espresso group, which allows you to adjust each recipe to your customer's taste, offering the possibility to set a dose of 7 to 14 grams of coffee.

Vitro X1 incorporates a 700 cc / 23.6 fl. Oz boiler becoming the perfect solution for a coffee service in small and medium size hotels and convenience stores, where service needs to be intuitive, good and fast. It is also the perfect solution to promote a cooperative culture in the office, offering high quality coffee, a premium user experience, and a comprehensive hot drink offer.



Plinth - Optional
Waste drawer increases capacity by up to
130 cakes (based on brewer) and 1 gal / 4L.
It rises 1"/25 mm. Front removal.



MDB Cashless module kit - Optional Ready to install a cashless system



AZK V30 Espresso Group



#### Easy to clean liquids tray

The liquids tray has a capacity of 1.2L (40.6 fl oz).

The design has a built-in wave breaker to avoid unwanted splashes and spills during transport for cleaning.



#### lluminated dispense area

Illuminated dispense area providing an improved user experience.

Max cup size: 170mm / 6.69".



#### Easy label changing

The machine allows easy label replacement to adapt the beverage selection panel to the tastes of your customers.

### A LIFETIME RELATION WITH COFFEE

We have over 75 years experience in technological innovations for the hotel, catering, office and convenience store environments. Taking great care with every detail of the process in order to provide the definitive experience in the world of coffee.



SPECIFICATIONS:		VITRO X1 ESPRESSO
	No. of coffee bean hoppers	1
<b>-</b>	No. of soluble product canisters	2
CAPACITY	Product capacity (from left to right)	Coffee beans 2200 g / 4.8 lb Soluble milk 600 g / 1.3 lb Chocolate 800 g / 1.8 lb
	Grout capacity	*Up to 40 cakes (*# of coffee cakes may vary depending on cake setting)
	Weight	39 kg / 86 lb
	Brewing systems	Espresso
	Name of the brewing system	AZK- V30 (7-14 g) AZK- V20 (12-14 g) - optional
	No. of mixers	1
	Name of grinder	M03 Horeca Performance
	No. of grinders	1
	Boiler type	Traditional 9 bar pressure
<u>N</u>	Boiler capacity	700 cc / 23.6 fl. Oz
MAT	Selection Type	Touch or Distance Selection Technology
OR	No of selections	12
Ž	Voltage	110-120 V / 60 Hz
ICAL	Maximum Power	1300 W
TECHNICAL INFORMATION	Certificates	UL - E78319 UL - NSF/ANSI 4 - E521409
Ī	Width Height Depth	337mm (13,8") 516mm (21,1") (246mm / (9.68")

Avda. San Silvestre, s/n 31350 Peralta (Navarra) Tel: 948 709 709 www.azkoyenvending.es Unit 1, Interplex 16, Ash Ridge Road Bradley Stoke, Bristol, BS32 4QE, England Tel: 01275 844 471

www.coffetek.co.uk

Germany Am Turm 86 53721 Siegburg Tel: 02241-595 70 www.azkoyenvending.de

France 6 Allée de Londres Le Madras Bat C2 91140 Villejust Tel: 01 69 75 42 10 www.azkoyenvending.fr

Portugal Bela Vista Office Estrada de Paço de Arcos, 66 2735-336 Cacem Tel: 1210 985 212 Colombia Via la Virginia, Corregimiento Caimalito. Bodega B-16. Zona Franca Internacional de Pereira Tel: +57 6 31 105 13 www.azkoyenandina.com

**United States** 3809 Beam road, Suite H Charlotte, NC 28217 Commercial: +1 (980) 237-5065 Tech. Support: +1 (704) 258-9388 www. azkoyen vending us a.com

Coffee & Vending Systems Division -







84800571 2305